

Miratohet
Kryetari
Ahilea DECKA

PREVENTIV ME CMIME PUNIMESH

INVESTITORI: **BASHKIA DROPULL**

OBJEKTI: **Rikonstrukcion I rrugeve te brendeshme ne fshatrat e Bashkise Dropull 2019 dhe murri mbajtes ne Vodhine**

Nr	n.analize	Emërtimi I punimeve	Njesia	sasia	cmimi	vlera
1		Shtrimi I rrugës me beton ne Likomil L=80ml)				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	16		
		Shtrese betoni C 16/20	m3	20		
		F V hekur betoni ne b/armeri Ø 3 ~ 5mm(15x15cm)	ton	0.28		
		Shuma 1				
2		Shtrimi I rrugës me beton ne Llongo L= 380ml)				
		Germim dheu me ekskavator goma 0.25 m³, ne kanale gjeresi deri 2 m, toke zak, kategoria III, me shk ne toke	m3	20		
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	76		
		Shtrese betoni C 16/20	m3	95		
		F V hekur betoni ne b/armeri Ø 3 ~ 5mm(15x15cm)	ton	1.33		
		Tombino me tuba betoni Ø 600, mbi shtrese betoni	m	8		
		Shuma 2				
3		Shtrimi I rrugës me beton ne Pepel L= 200ml)				

		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	40		
		Shtrese betoni C 16/20	m3	50		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.7		
		Shuma 3				
4		Shtrimi I rrugës me beton ne Kakavi L= 160ml)				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	32		
		Shtrese betoni C 16/20	m3	40		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.56		
		Tombino me tuba betoni Ø 800, mbi shtrese betoni	m	4		
		Tombino me tuba betoni, shtrese zhavori Ø 300mm	m	4		
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri(90x2,50m)	m3	22.5		
		Shuma 4				
5		Shtrimi I rrugës me beton ne Kerre L= 600ml)				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	150		
		Shtrese betoni C 16/20	m3	150		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	2.1		
		Tombino me tuba betoni Ø 500, mbi shtrese betoni	m	15		
		Germim dheu me ekskavator goma 0.25 m³, ne kanale gjeresi deri 2 m, toke zak, kategoria III, me shk ne toke kanal 300ml	m3	75		
		Shuma 5				
6		Shtrimi I rrugës me beton ne Grapsh				
a		Segmenti I L = 120ml x3,0m				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	18		
		Shtrese betoni C 16/20	m3	36		

		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.5		
		Shuma a				
b		Segmenti II L = 70ml x2,8m				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri)	m3	20		
		Shtrese betoni C 16/20	m3	20		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.28		
		Shtrese betoni C 16/20(5,0x5,0m sheshe)	m3	2.5		
		Shuma b				
c		Segmenti III L = 40ml x3,0m				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri)	m3	12		
		Shtrese betoni C 16/20	m3	12		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.17		
		Shuma c				
d		Segmenti IV L = 30ml x3,0m				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	9		
		Shtrese betoni C 16/20	m3	9		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.13		
		Shuma d				
e		Prita ne Grapsh				
2		Germim me krahe seksion detyruar me gjeresi b > 1 m, h=1.5 m, toke e zak.	m3	20		
3		Germim dheu me ekskavator goma, 0.25 m³, ne kanale gjeresi > 2 m, toke zak, kategoria III, me shk ne toke	m3	20		
		Mbushje me shkemb te germuar me pare(Φ>250mm)	m3	84		
4		Struktura monolite betoni C 16/20	m3	12		
5		F V hekur betoni ne b/arme Ø 3 ~ 5mm	ton	0.05		
		Shuma e				

		Shuma 6				
7		Shtrimi I sheshit me beton ne Çatist L = 375m2				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	37.5		
		Shtrese betoni C 16/20	m3	37.5		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.52		
		Shuma 7				
8		Shtrimi I rrugës me beton ne Jergucat				
a		Segmenti I L = 150ml				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	45		
		Shtrese betoni C 16/20	m3	54		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.63		
		Shuma a				
b		Segmenti II L = 12ml				
		Shtrese betoni C 16/20	m3	4.3		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.05		
		Shuma b				
c		Shtrim trotuari me Beton me m3				
		Shtrese betoni C 16/20(20x1.0m+6.0x1.0m)	m3	2.6		
		Shuma c				
d		Segmenti III L = 100ml				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	25		
		Shtrese betoni C 16/20	m3	25		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.35		
		Shuma d				
e		Segmenti IV Nr. 2 L = 140ml				
		Shtrese betoni C 16/20)	m3	42		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.58		

		Shuma				
f		Trotuar me pllaka gurri te punuara	m2	16		
		Shuma 8				
9		Shtrimi I rrugës me beton ne Peshkepi e Siperme L= 200ml				
a		Segmenti I L = 100ml x2,5m				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	20		
		Shtrese betoni C 16/20	m3	25		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.35		
		Shuma a				
b		Segmenti II L = 100ml x2,5m				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	20		
		Shtrese betoni C 16/20(	m3	25		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.35		
		Shuma b				
		Shuma 9				
10		Shtrimi I rrugës me beton ne Sofratik L= 200ml				
		Rruga L= 200ml x3,0m				
		Germim dheu me ekskavator goma 0.25 m³, ne kanale gjeresi > 2 m, toke zak, kategoria III, me shk ne mjet	m3	10		
		Shtrese betoni C 16/20	m3	60		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.8		
		Shuma a				
b		Shtrimi I sheshi me beton ne Sofratik S = 500 m2				
		Germim dheu me ekskavator goma 0.25 m³, ne kanale gjeresi > 2 m, toke zak, kategoria III, me shk ne mjet	m3	71		
		Shtrese betoni C 16/20	m3	50		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.7		
		Mur me blloqe betoni t=20cm deri 3m me llaç perzier M 15	m3	5.5		
		Brez b/a C 16/20, h ~ 8 m	m3	1		

		Shuma b				
		Shuma 10				
11		Shtrimi I rrugës me beton ne Zervati L = 150ml)				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	30		
		Shtrese betoni C 16/20	m3	37.5		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.52		
		Shuma 11				
12		Shtrimi I rrugës me beton ne Bodrisht				
b		Segmenti 1 L = 120ml				
		Shtrese betoni C 16/20	m3	30		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.42		
		Shuma b				
c		Segmenti 2 L = 60ml				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri(60ml x 2,5m x 0,10 m)	m3	15		
		Shtrese betoni C 16/20(60mlx0.10x2,50m)	m3	15		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.2		
		Shuma c				
d		Segmenti 3 L = 350ml				
		Shtrese betoni C 16/20	m3	105		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	1.4		
		Shuma d				
e		Segmenti 4 L = 100ml				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	25		
		Shtrese betoni C 16/20(	m3	25		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.35		
		Shuma e				
f		Segmenti 5 L = 150ml				

		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	37.5		
		Shtrese betoni C 16/20	m3	37.5		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.52		
		F V tuba te brinjezuar HDPE SN8 d=315 mm	ml	30		
		Shuma f				
		Shuma 12				
13		Shtrimi I rrugës me beton ne Gorice				
		Prishje shtresa betoni(40m x3,0 m	m3	12		
		Shtrese betoni C 16/20 (40m x3,0 m	m3	12		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm	ton	0.15		
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri (20mx1,80 m)	m3	3.6		
		Shtrese betoni C 16/20 (20m x1,80 m	m3	3.6		
		Shuma 13				
14		Shtrimi I rrugës me beton ne Vanister L = 110ml)				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	33		
		Shtrese betoni C 16/20	m3	33		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm	ton	0.46		
		Shuma 14				
15		Shtrimi I rrugës me beton ne Goranxi				
a		Segmenti I L = 40ml x(3,0 -5,0m)				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	13		
		Shtrese betoni C 16/20	m3	16		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm	ton	0.23		
		Shuma a				
b		Segmenti II L = 70ml +30ml				

		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	30		
		Shtrese betoni C 16/20	m3	30		
		F V hekur betoni ne b/armer Ø 3 ~ 5mm	ton	0.42		
		Shuma b				
c		Segmenti III L = 100ml				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	30		
		Shtrese betoni C 16/20	m3	30		
		F V hekur betoni ne b/armer Ø 3 ~ 5mm	ton	0.42		
		Shuma c				
		Shuma 15				
16		Shtrimi I rrugës me beton ne Dervican				
a		Segmenti I L = 30ml +35ml				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri (35mx4.0 m)+(30mx3,0m)	m3	23		
		Shtrese betoni C 16/20 (35mx4.0 mx0.10m)+(30mx3,0m x0,1m)	m3	23		
		F V hekur betoni ne b/armer Ø 3 ~ 5mm	ton	0.32		
		Shuma a				
b		Segmenti II L =120ml Poshte kishes				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	48		
		Shtrese betoni C 16/20	m3	60		
		F V hekur betoni ne b/armer Ø 3 ~ 5mm	ton	0.84		
		Germim dheu me ekskavator goma 0.25 m³, ne kanale gjeresi > 2 m, toke zak, kategoria III, me shk ne mjet	m3	30		
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri sheshe (350m2)Sheshi	m3	28		
		Shtrese betoni C 16/20 (350m2	m3	35		

		F V hekur betoni ne b/arme Ø 3 ~ 5mm	ton	0.49		
		Shuma b				
c		Segmenti I L =100ml Siper kishes Dervician				
		Shtrese betoni C 16/20	m3	60		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm	ton	0.7		
		Shuma c				
17		Shtrimi I rrugës me beton ne Peshkepin e Poshteme				
a		Segmenti I L = 90ml				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	13.5		
		Shtrese betoni C 16/20	m3	27		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm	ton	0.38		
		Shuma a				
		Segmenti II L = 110ml				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	16.5		
		Shtrese betoni C 16/20	m3	33		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm	ton	0.46		
		Shuma b				
		Shuma 17				
		Shtrimi I rrugës me beton ne Llovine L= 100ml				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	25		
		Shtrese betoni C 16/20	m3	25		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.35		
		Shuma e				
18		Shtrimi I rrugës me beton ne Terihat				
a		Sheshi tek Vatra e kultures S = 200m2				

		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	20		
		Shtrese betoni C 16/20	m3	20		
		F V hekur betoni ne b/armer Ø 3 ~ 5mm	ton	0.28		
		Shuma a				
b		Segmenti I L = 35 ml				
		Mbushje, rafshim,ngjeshje me tokmak elektrik, cdo 30 cm, toke te forte	m3	10		
		Shtrese betoni C 16/20	m3	9		
		F V hekur betoni ne b/armer Ø 3 ~ 5mm	ton	0.12		
		Germim dheu me krah e transport me k dore 10 m, kategoria IV	m3	10		
		Shuma b				
		Shuma 18				
19		Shtrimi I rrugës me beton ne Dhuvjan L = 30ml)				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	6		
		Shtrese betoni C 16/20	m3	7.5		
		F V hekur betoni ne b/armer Ø 3 ~ 5mm(15x15cm)	ton	0.1		
		Shuma 19				
20		Shtrimi I rrugës me beton ne Bularat				
a		Segmenti A L = 120ml				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	36		
		Shtrese betoni C 16/20	m3	36		
		F V hekur betoni ne b/armer Ø 3 ~ 5mm	ton	0.5		
		Shuma a				
b		Segmenti B L = 105ml				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	31.5		

		Shtrese betoni C 16/20	m3	31.5		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm	ton	0.44		
		Shuma b				
c		Segmenti C L = 230ml				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	46		
		Shtrese betoni C 16/20	m3	57.5		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm	ton	0.8		
		Shuma c				
d		Segmenti D+H L = 150ml				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	37.5		
		Shtrese betoni C 16/20	m3	37.5		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm	ton	0.52		
		Shuma d				
		Shuma 20				
21		Shtrimi I rrugës me beton ne Selck L = 250ml)				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	50		
		Shtrese betoni C 16/20	m3	62.5		
		Germim dheu me ekskavator goma, 0.25 m³, ne kanale gjeresi > 2 m, toke zak, kategoria III, me shk ne toke	m3	80		
		Shuma 21				
22		Shtrimi I Fushes se Basketbollit ne Frashtan				
		Mbushje, rafshim,ngjeshje me tokmak elektrik, cdo 30 cm, toke zak (30 m x 16 m)	m3	38		
		Shtrese betoni C 16/20(30 m x 16 m)	m3	48		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm(15x15cm)	ton	0.67		
		Lluster cemento 2 cm 1: 2	m2	480		

		Shuma 22				
23		Shtrimi I rrugës me beton ne Lugar L = 100ml)				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	25		
		Shtrese betoni C 16/20	m3	25		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm	ton	0.35		
		Shuma 23				
24		Ndertimi I murrit mbrjtes se qendres se fshatit Vodhino				
		Punime per prishje dhe germime dheu				
		Prishje struktura prej betoni	m3	3.5		
		Germim dheu me ekskavator zingjir, 0.25 m³, ne kanale gjeresi > 2 m, toke zak, kategoria III, me shk ne toke	m3	170		
		Punime ndertim muri prej guri				
		Mur guri ne lartesi deri 3m me llaç perzier M 15	m3	134		
		FV Kapak muri me pllaka guri I gdhendur ne dy krahet t=7cm	m2	12		
		Punime per mbushje				
		Mbushje, rafshim,ngjeshje me tokmak elektrik, cdo 30 cm, toke te bute	m3	38		
		Shuma 24				
25		Shtrimi I rrugës me beton ne vrahogoanci L = 150ml)				
		Segmenti 1 L= 70 ml				
		Mbushje me cakell e gur gurore ne trupin e rruges, perhapur e ngjeshur me makineri	m3	17.5		
		Shtrese betoni C 16/20	m3	17.5		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm	ton	0.24		
		Segmenti 2 L = 92ml				
		Shtrese betoni C 16/20	m3	23		
		F V hekur betoni ne b/arme Ø 3 ~ 5mm	ton	0.3		

		Shuma 25				
		TOTAL				
		TVSH 20%				
		SHUMA TOTALE				

Preventivoi : Ing. Arjan TUSHA

Ark. Enea Lici

























